

# Safety Data Sheets

## 1. Identification

Product Name : LUS-150 Magenta  
Order No. : LUS15-M-BA  
Ink Ver. : 1  
General Use : Ink jet printing ink  
Product Description : UV Inkjet Ink  
SDS Number : 037- U080297  
Manufacture  
Company Name : Mimaki Engineering Co., Ltd.  
Address : 2182-3 Shigeno-otsu, Tomi-shi, Nagano 389-0512 JAPAN  
Telephone No. : +81-268-64-2413  
Importer / Distributor Established in USA  
Company Name : MIMAKI USA, INC.  
Address : 150 Satellite Boulevard, suite A, Suwanee, Georgia 30024, U.S.A.  
Telephone No. : +1-678-730-0170  
Emergency Telephone No. : +1 866 928 0789 (within United States only)  
+1 215 207 0061

## 2. Hazards Identification

### [HCS Classification]

#### Physical Hazards

Flammable Liquids : Not classified

#### Health Hazards

Skin Corrosion / Irritation : Category2

Eye Damage / Irritation : Category2

Sensitization – Skin : Category1A

Carcinogenicity : Category 2

Toxic to Reproduction : Category2

Specific Target Organ Toxicity : Category3

(Single Exposure)

Specific Target Organ Toxicity : Category1

(Repeated Exposure)

#### Environmental Hazards

# Safety Data Sheets

Hazardous to the Aquatic Environment - Long Term Hazard : Category2

The above list does not include category being non-classifiable or not-applicable.

## [HCS Label Elements]

Symbol



Signal Word

Danger

Hazard Statements

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H351 Suspected of causing cancer
- H361 Suspected of damaging fertility or the unborn child.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements

[Prevention]

- P201 Obtain SDS (Safety Data Sheet) and printer's Operation Manual before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P260 Do not breathe gas/mist.
- P264 Wash hands and eyes thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P271 Use only outdoors or in a well-ventilated area.
- P272 Contaminated work clothing should not be allowed out of the workplace.
- P273 Avoid release to the environment.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.

[Response]

- P302+P352 IF ON SKIN: Wash with plenty of soap and water.
- P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P308+P313 IF exposed or concerned: Get medical advice/attention.
- P314 Get medical advice/attention if you feel unwell.
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P337+P313 If eye irritation persists: Get medical advice/attention.
- P362+P364 Take off contaminated clothing and wash it before reuse.
- P391 Collect spillage.

[Storage]

- P403+P233 Store in a well-ventilated place. Keep container tightly closed
- P405 Store locked up.

# Safety Data Sheets

[Disposal]

P501 Dispose of contents/container in accordance with local/regional/national/international regulation (to be specified).

[Hazards not otherwise classified (HNOC)]


Not classified

[Other hazards]

- May be harmful in contact with skin.
- Toxic to aquatic life with long lasting effects.
- Toxic to aquatic life.


NFPA Rating (scale 0 – 4)

Health = 2  
 Flammability = 1  
 Instability = 1  
 Special =



HMIS Rating (scale 0 – 4)

Health = 2  
 Flammability = 1  
 Reactivity = 1  
 Protective Equipment = B



### 3. Composition / Information on Ingredients

No	Chemical Name	CAS No.	Wt%
1	N-vinylcaprolactam	2235-00-9	15-30
2	Isobornyl acrylate ester	5888-33-5	15-30
3	2-Phenoxyethyl acrylate	48145-04-6	15-30
4	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	162881-26-7	1-5
5	2,4,6-Trimethylbenzoyl diphenyl Phosphine Oxide	75980-60-8	1-5
6	Trimethylolpropane triacrylate	15625-89-5	1-5
7	Tripropylene glycol diacrylate	42978-66-5	0.5-1.5

### 4. First Aid Measures

[First aid measures for different exposure routes]

- General advice : Do not get in eyes, on skin, or on clothing.  
 If symptoms persist, call a physician.
- Eye Contact : IF IN EYES: Rinse cautiously with water for several minutes.  
 Remove contact lenses, if present and easy to do. Continue rinsing.  
 If eye irritation persists: Get medical advice/attention.
- Skin Contact : IF ON SKIN: Wash with plenty of soap and water.  
 If skin irritation or rash occurs: Get medical advice/attention.

## Safety Data Sheets

Inhalation	: IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
Ingestion	: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/ physician.
Protection of First-aiders	: Use personal protective equipment.
Most important symptoms/effects, acute and delayed	: May cause redness, itching, and pain. May cause allergic skin reaction.
Indication of Immediate Medical Attention and Special Treatment Needed, If necessary	: May cause sensitization of susceptible persons. Treat symptomatically.

### 5. Fire Fighting Measures

Flammable Properties	: Not applicable
Suitable Extinguishing Media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable Extinguishing Media	: Do not use a solid water stream as it may scatter and spread fire.
Special Hazards Arising from the Chemical	: Thermal decomposition can lead to release of irritating gases and vapors. In the event of fire and/or explosion do not breathe fumes. May cause sensitization by inhalation and skin contact. May cause sensitization by skin contact.
Hazardous Combustion Products	: Nitrogen oxides (NOx). Carbon oxides.
Explosion Data	: Sensitivity to Mechanical Impact ; none Sensitivity to Static Discharge ; none
Protective Equipment and Precautions for Firefighters	: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## Safety Data Sheets

### 6. Accidental Release Measures

Personal Precautions,	: Use personal protective equipment.
Protective Equipment	Avoid contact with the skin and the eyes.
and Emergency	Evacuate personnel to safe areas.
Procedures	Keep people away from and upwind of spill/leak.
Environmental	: Prevent entry into waterways, sewers, basements or confined areas.
precautions	Do not flush into surface water or sanitary sewer system.
	Prevent further leakage or spillage if safe to do so.
	Prevent product from entering drains.
Methods and Materials	: <b>Methods for Containment</b>
for Containment and	Prevent further leakage or spillage if safe to do so.
Cleaning Up	<b>Methods for cleaning up</b>
	Use personal protective equipment.
	Dam up.
	Cover liquid spill with sand, earth or other noncombustible absorbent material.
	Take up mechanically, placing in appropriate containers for disposal.
	Clean contaminated surface thoroughly.
	Soak up with inert absorbent material.
	Pick up and transfer to properly labeled containers.

### 7. Handling and Storage

Precautions for Safe	: Ensure adequate ventilation.
Handling	Wear personal protective equipment.
	Use only in area provided with appropriate exhaust ventilation.
	Do not breathe vapors or spray mist.
	Avoid exposure during pregnancy.
Conditions for Safe	: Keep container tightly closed.
Storage, including any	Keep containers tightly closed in a cool, well-ventilated place. Keep in
Incompatibilities	properly labeled containers.

## Safety Data Sheets

### 8. Exposure Controls / Personal Protection

[Control parameters]

Exposure Guidelines : This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

[Exposure Controls]

Engineering Measures : Ventilation systems

[Individual Protection Measures, such as Personal Protective Equipment]

Respiratory Protection : If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.



Glove : Wear protective gloves/clothing.

Recommendations



Eye /Face Protection : Tightly fitting safety goggles. Face-shield.



Skin Protection : Wear protective gloves/clothing.



General Hygiene : When using do not eat, drink or smoke.

Considerations : Take off contaminated clothing and wash before reuse. Regular cleaning of equipment, work area and clothing is recommended.

### 9. Physical and Chemical Properties

Appearance - Physical State : liquid (@20°C)

## Safety Data Sheets

- Color	: red
Odor	: Acrylates
Odor Threshold	: Not available
pH	: Not available
Specific Gravity	: ~ 1.08
Molecular Weight	: Not available
Flash Point	: Not applicable
Auto ignition temperature	: Not available
Decomposition Temperature	: Not available
Boiling Point / Boiling Range	: 232 °F / 111 °C
Melting Point / Melting Range	: Not available
Freezing Point	: Not available
Flammability Limit in Air	: Not available
Oxidizing Properties	: Not available
Explosive Property Details	: Not available
Solubility	: Immiscible in water
Partition Coefficient	: Not available
Evaporation Rate	: Not available
Vapor Pressure	: <1 mm/Hg (@ 20 C)
Vapor Density	: Not available
Density	: Not available
Weight per Gallon (lbs)	: ~9.0
Actual VOC (lb/gal)	: <0.18
VOC (lb/gal)	: Not available
VOC (g/l)	: Not available
Dynamic viscosity	: Not available
[VOC Content California]	
VOC Content of Material	: <22 grams per liter
VOC Content of Coating less Water and Exempt Solvents	: <22 grams per liter

### 10. Stability and Reactivity

Reactivity	: Stable under recommended storage conditions.
Chemical Stability	: Stable under recommended storage conditions.
Possibility of Hazardous	: None under normal processing.
Reactions	Hazardous polymerization may occur.

# Safety Data Sheets

- Conditions to Avoid : Extremes of temperature and direct sunlight.
- Incompatible Materials : Strong oxidizing agents, strong acids, and strong bases.
- Hazardous : Carbon oxides. Nitrogen oxides (NOx).
- Decomposition Products

## 11. Toxicological Information

[Information on likely routes of exposure]

[Product Information]

### Acute Toxicity

- Inhalation : May be harmful if inhaled. May cause irritation of respiratory tract.
- Eyes : Irritating to eyes.
- Skin : Irritating to skin. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.  
 May be harmful in contact with skin. May cause inflammation.
- Ingestion : Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Ingestion may cause irritation to mucous membranes.  
 May be harmful if swallowed.

[Component Information]

Chemical Name	Oral LD50	Dermal LD50	LC50 (lethal concentration)
Trippropylene glycol diacrylate	=3,000mg/kg ( Rat )	> 2 g/kg ( Rabbit )	

[Information on toxicological effects]

No information available.

[Delayed and immediate effects as well as chronic effects from short and long-term exposure]

- Irritation : Irritating to eyes and skin.
- Corrosivity : No information available.
- Sensitization : May cause sensitization by skin contact.
- Mutagenic Effects : No information available.
- Reproductive Toxicity : No information available.
- Carcinogenicity : Trimethylolpropane triacrylate(CAS No. 15625-89-5)

IARC	Monograph 122 [2019](technical grade) (Group 2B (possibly carcinogenic to humans))
OSHA	Hazard Communication Carcinogens: Present

- STOT - single exposure : No information available.
- STOT - repeated exposure : No information available.



## Safety Data Sheets

Chronic toxicity : Experiments have shown reproductive toxicity effects on laboratory animals. May adversely affect liver and kidney. Repeated contact may cause allergic reactions in very susceptible persons.

Target Organ Effects : Eyes, Lymphatic System, Respiratory system.

Aspiration hazard : No information available.

### [Numerical measures of toxicity - Product Information]

The following values are calculated based on chapter 3.1 of the GHS document.

ATEmix (oral) : 1,175 mg/kg

ATEmix (dermal) : 2,584 mg/kg

ATE: Acute toxicity estimate

## 12. Ecological Information

Handling is noted because it might influence the environment when leaking and abandoning it. Especially, note that the product doesn't flow directly to ground, the river, and the drain ditch.

Ecotoxicity : Toxic to aquatic life with long lasting effects.

Persistence and : No information available.

Degradability

Bioaccumulation :

Chemical Name	Octonol Water Partition Coefficient (log pow)
Tripropylene glycol diacrylate	2.77

Mobility : No information available.

Other adverse effects : No information available.

## 13. Disposal Considerations

Disposal Methods : Dispose of in accordance with all applicable national environmental laws and regulations. Dispose of in accordance with federal, state, and local regulations.  
Do not dump this product into sewers, on the ground or into any body of water.

Contaminated : Do not re-use empty containers.

Packaging

## 14. Transport Information

## Safety Data Sheets

Check a thing without a leak in a container. Perform prevention of collapse of cargo surely.

DOT	Not regulated	
TDG	Not regulated	
MEX	Not regulated	
ICAO	Proper Shipping Name	Environmentally hazardous substance, liquid, n.o.s
	UN/ID No	UN3082
	Hazard Class	9
	Packing Group	III
	Description	Environmentally hazardous substance, liquid, n.o.s
IATA	Proper Shipping Name	Environmentally hazardous substance, liquid, n.o.s
	UN/ID No	UN3082
	Hazard Class	9
	Packing Group	III
	Description	Environmentally hazardous substance, liquid, n.o.s
IMDG	Proper Shipping Name	Environmentally hazardous substance, liquid, n.o.s
	UN/ID No	UN3082
	Hazard Class	9
	Packing Group	III
	Description	Environmentally hazardous substance, liquid, n.o.s
ADR/RID	Proper Shipping Name	Environmentally hazardous substance, liquid, n.o.s
	UN/ID No	UN3082
	Hazard Class	9
	Packing Group	III
	Description	Environmentally hazardous substance, liquid, n.o.s

Remarks : Single or inner packaging less than 5 L (liquid) or 5 kg net (solids) is excepted from Dangerous Goods regulations.

Refer to ICAO/IATA A197, IMDG 2.10.2.7, ADR SP 375.

### 15. Regulatory Information

[International Inventories]

TSCA	: Yes
DSL/NDSL	: Yes
PIC CS	: Yes
EINECS/ELINCS	: Yes
ENCS	: No

## Safety Data Sheets

IECSC : Yes  
 KECL : No  
 AICS : Yes

\*Yes - All component(s) of this product are included or are exempt from listing on the inventory.

\*No - Indicates the component(s) of this product are either not listed or have not been determined to be listed on the inventory.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

### [U.S. Federal Regulations]

TSCA Sections 4, 5 and 12(b) : This product does not contain any chemicals regulated by TSCA Sections 4, 5 or 12(b).

SARA 313 : Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA).

This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS No	SARA 313 - Threshold Values %	Weight-%
2-Phenoxyethyl acrylate	48145-04-6	1.0	15-30

SARA 311/312 Hazard Categories : Acute Health Hazard ; Yes  
 Chronic Health Hazard ; Yes  
 Fire Hazard ; No  
 Sudden Release of Pressure Hazard ; No  
 Reactive Hazard ; Yes

Clean Water Act : This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA : This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive

# Safety Data Sheets

Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

[U.S. State Regulations]

California Proposition 65 : **WARNING**



This product can expose you to chemicals including Trimethylolpropane triacrylate which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

[U.S. State Right-to-Know Regulations]

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
2-Phenoxyethyl acrylate		×	×	×	

[International Regulations]

Canada - NDSL : This product does not contain any NDSL chemicals.

Mexico - Grade : Slight risk, Grade 1

[Mexico - Carcinogen Status and Exposure Limits]

No information available.

[Other Regulations]

No information available.

CPSIA : Formulated to comply.

CONEG : Formulated to comply.

ASTM F-963 : Formulated to comply.

CHPA : Formulated to comply.

ROHS : Formulated to comply.

REACH/SVHC : Formulated to comply.

EN-71 : Formulated to comply.

## 16. Other Information

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of Mimaki Engineering Corporation.

It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.



Product Name: LUS-150 Magenta  
SDS No. 037-U080297  
First issue: 2012/10/12  
Revised: 2024/03/03

## Safety Data Sheets

Mimaki Engineering Corporation assumes no legal responsibility for use or reliance upon this information.